

while Loops !

Introducing: `while` Loops


- General form of a `while` loop statement:

```
while [boolean expression "test"]:  
    <repeat block - statements in braces run when test is true>
```

- **Like** an `if-then` statement:
 - The test must be a boolean expression
 - if the test evaluates to `True`, the computer will move to the first line of code in the repeat block
 - If the test evaluates to `False`, the computer will *jump* over the repeat block
- **Important! Unlike** an `if-then`, **after the last statement in the repeat block** completes, the computer will next ***jump backwards to the test*** and start anew.
- A `while` loop statement can be used *anywhere* you can write a statement.

while loop Flow of Control

1. When a **while** statement is encountered, its **boolean test** expression is evaluated
2. If the **test** is **True**,
 - a) then the processor will **proceed into the repeat block**.
 - b) **At the end of the repeat block**, the processor jumps back to **step 1**.
3. If the **test** is **False**, the processor will jump over the repeat block and continue on.



Example Setup

In VSCode:

1. Open your COMP110 Workspace
 - File > Open Recent > comp110-workspace
2. Open the File Explorer Pane
 - comp110 > lessons
3. Create a new Python module in lessons directory
 - Right click lessons
 - Select new file
 - Name it "ls09_while_loop.py"
4. Copy over the program to the right




```
"""A while loop demo."""

iterations: int = int(input("Loop how many times? "))
i: int = 0
while i < iterations:
    print("In repeat block!")
    print("i is " + str(i))
    i = i + 1

print("After repeat block!")
print("i's terminal value is " + str(i))
```


Writing a `while` loop that iterates a specific number of times.

- Repeating a task a specific number of times is a common task in computing.
 - *Iteration* is the *repetition* of a process
 - You will see this pattern, and variations of it, frequently!
- Three keys:
 - 1) Initialize a counter variable to 0.
 - 2) Test will that the counter variable is less than the # of times you want to repeat
 - 3) **Don't forget!** Incrementing your counter variable.
- `i` is an exception to variable name rules
 - Reminder: choose variable names descriptive of their purpose!
 - Why `i`? Loong history of being used as a counter variable in computing.

```
i: int = 0   
while i <         :   
  
    // Do Something Useful  
  
    i = i + 1 
```

while loop Statement Notes

- If the test is ***not True*** the first time the while loop is encountered, then the computer will jump past the repeat block.
- If the test ***never evaluates to False***, then the loop is called an ***infinite loop***.
- The only way to ***stop*** an ***infinite*** loop is to end your program's process.
 - Press Control+C to send a special "interrupt" signal to your program which should cause it to exit.



How do you avoid infinite loops?

Your **test** condition must eventually evaluate to **False**, therefore

a value in the test must be changing inside the repeat block, such that

progress is made toward the test expression evaluating to **False**.

```
i = 0
while i < n:
    print("Loop!")
```

Bad! Nothing is changing inside of the repeat block.

```
i = 0
while i < n:
    print("Loop!")
    i = i - 1
```

Bad! Subtracting 1 from *i* is not making progress toward $i \geq n$.

```
i = 0
while i < n:
    print("Loop!")
    i = i + 1
```

Good! Adding 1 to *i* is making progress toward $i \geq n$.